


TECHNICAL SPECIFICATION

2024

MODEL CHARACTERISTICS

DIAMOND



Door 18 mm thick in various finishes - edged on 4 sides with 1 mm thick ABS - E1 class particle board with low formaldehyde content

- Matching handles
- M1
 - M2
 - M3
 - M4
 - T1

- Version
- STANDARD
 - GROOVE

SMART



Door 22 mm thick in various finishes - edged on 4 sides with 1 mm thick ABS - E1 class particle board with low formaldehyde content

- Matching handles
- M1
 - M2
 - M3
 - M4
 - T2

- Version
- STANDARD
 - GROOVE

ASIA



Matt lacquered door: 22 mm thick, matt lacquered on both sides - MDF support

Gloss lacquered door: 22 mm thick, gloss lacquered front - matt lacquered back - MDF support

Veneered door version: 22 mm thick, veneered - chipboard support

- Matching handles
- M1
 - M2
 - M3
 - M4

- Version
- STANDARD
 - GROOVE

DALLAS



Door 22 mm thick - solid ash wood frame - veneered central panel

- Matching handles
- M1
 - M2
 - M3
 - M4

- Version
- STANDARD

MODEL CHARACTERISTICS

PROVENZA



Door 22 mm thick - frame and central panel in solid ash
Square door version also available

Matching handles

- C1
- C2
- C3
- C4

Version  STANDARD

GINEVRA



Door 24 mm thick - solid ash frame and veneered central panel

Matching handles

- C1
- C2
- C3
- C4

Version  STANDARD

COSTANZA



Door 24 mm thick - solid ash frame and veneered central panel

Matching handles

- C1
- C2
- C3
- C4

Version  STANDARD




GRASS drawers - colour Stone

High-quality full-extension movement systems, 50 cm depth with soft-close mechanism, combining technology, convenient functionality and precision.



Glass side panel version also available at an extra charge

Prices - see accessories list



GRASS ACCESSORIES

Everything in its place.
With the accessories matched to our drawers, you can realise endless solutions for every need.

The shape, size, material and colour are perfectly matched for a unique and impeccable design.

Prices - see accessories list



SALICE HINGES



SILENTIA+ hinges 110° opening with adjustable integrated soft-close mechanism operated by twin silicone-oil dampers housed in the hinge cup.



EVOLIFT lift-up opening mechanism, smooth and silent movement with soft close.


CAMAR HANGING BRACKET

Hanging bracket system for maximum security and adjustment.
Standard with nickel-plated metal locking shell.



Concealed versions for open modules and wall-hung base elements.


INOXA STAINLESS STEEL BASKETS

Everything in its place.
Technology and aesthetics for all interior fittings,
solutions for every type of module.
Slate Colour.





LOOK GLASS FRAME

Aluminium frame with a design for glass doors, available in various sizes and colours.

Frame colours

- Bronze
- Gold Des
- White
- Champagne
- 9016
- White 9016

Glass colours

- Grey Stopsol
- Bronze Stopsol
- Transparent Bronze
- Transparent Grey
- Extra Clear Transparent

FRAME FINISH




Bronze



Gold Des



Champagne



White 9016




Black 9005




Black 9017

GLASS FINISH



Grey Stopsol



Bronze Stopsol



Bronze Transparent




Grey Transparent



Extraclear Transparent

MODULARITY


BASE UNIT - DOOR WITH HANDLE



DIMENSIONS OF THE BASE UNIT

Available Widths: 15 - 30 - 40 - 45 - 60 - 80 - 90 - 100 - 105 - 120


Available Heights: 36 - 48 - 60 - 72



PLINTH


Standard H.12

On request available H.10 - H.15
(excluding decapè colours)



DOOR BASE PROFILE DETAIL WITH HANDLE


BASE UNIT - GROOVE DOOR



DIMENSIONS OF BASE UNIT WITH GROOVE OPENING


Available widths: 15 - 30 - 40 - 45 - 60 - 80 - 90 - 100 - 105 - 120

Available heights: 40 - 52 - 64 - 76



PLINTH

Standard: H.12



DOOR BASE PROFILE DETAIL WITH GROOVE


Custom Size: it is possible to make custom sizes.

Suspended bases: all suspended bases come complete with brackets to support the unit, but the stability is dependent on the type of wall they are fixed to.

Service gap: all bases feature a service gap useful for the passage of pipes, cables, or for positioning sockets.

MODULARITY


WALL UNIT – DOOR WITH HANDLE



WALL UNIT DIMENSIONS


Available widths: 15 - 30 - 40 - 45 - 60 - 80 - 90 - 120

Available heights: 36 - 48 - 60 - 72 - 96 - 132.5




SIDE + DOOR DETAIL

WALL UNIT - GROOVE DOOR



DIMENSIONS OF WALL UNIT WITH GROOVE OPENING

Available widths: 15 - 30 - 40 - 45 - 60 - 80 - 90 - 120



DETAIL OF OVERHANGING GROOVE


The bottom has an aluminium profile that allows the door to open in the wall units with a handleless design.

Where it is not possible to install the handleless profile, the wall units come as standard with a push-opening system.

Custom Size: it is possible to make custom sizes.

MODULARITY


TALL UNIT



TALL UNIT DIMENSIONS

Available widths: 30 - 45 - 60 - 90 - 105 - 120

Available heights: 96 - 132 - 204




PLINTH

Standard: H.12

On request available H.10 - H.15
(excluding decapè colours)

SUPER TALL UNIT




Available upon request, the tall unit can be made with a total height of 228 cm (excluding plinth)

Custom Size: it is possible to make custom sizes.

KITCHEN SPECIFICATIONS WITH GROOVE OPENING


HORIZONTAL GROOVE PROFILE FOR BASE




Base: side h.76 - plinth h.12

- Always provide end caps for groove gaps.
- Upper and intermediate groove profiles are supplied separately and in one piece up to a maximum length of 370 cm.
- All hardware for assembly is supplied as standard, with the exception of end caps.


VERTICAL GROOVE PROFILE FOR TALL



Lateral




Intermediate



The vertical groove opening must be inserted in the tall units
For lateral vertical groove profiles, 18 or 22 mm thickness is required

CARCASS


AVAILABLE




All carcasses are made of 18 mm thick melamine.
E1 class particle board with low formaldehyde content, back 4 mm thick.

Melamine shelf 18 mm thick, glass 6 mm thick on request.

COLOURS



White



Silver



Anthracite Grey



• White Decapè




• Beige Decapè



Walnut

There is a surcharge for the production of classic kitchens with a carcass entirely in Beige Decapè or White Decapè colour.
Please contact the technical office for further details.

VISIBLE SIDE OF CARCASS




It is possible to request exposed side panels in the colour of the door, at a surcharge.


For the Provenza White, Provenza Beige, Costanza Beige, and Ginevra Beige models, the visible sides are standard in melamine with same colour as the door, at no additional cost.

LAMINATE WORKTOP FINISHES WITH ABS EDGE

COLOURS




White Finish
Erre



Grey Frisia
1366



Wall
1452



Natural Porphyry
3324



Volcano
545



Azimut
FB45




Sabbia
3510



Scraper
6058



Esterelle
6056



White Climb
410




Vertigo
FB51




Beton
FB11



Sandstone
30H




Mune Grey
3410



Calypso
3420



Botticino
5555



Emperador
5562



Statuario
5547



Wood Tavern
803




Walnut Savoy
4604



Mercury Elm
4539



Ascari
LR25




Urban Bronze
3412



Urban Voyage
3413



Peltro
934



Rox Black
3457



Grace Stone Brown
T26



Grace Stone Clear
T25



Satin Titanium
M510



Satin Silver
M508

LAMINATE WORKTOP FINISHES WITH ABS EDGE


COLOURS



Flash Kaspio
Gold 6089



Flash Kaspio
Silver 6090




Flash Brass
5025



Flash Inox
5026




Mika Aurina
3467




Ker Marmo Elite
3476



White Lasa
6152



Oak Valdweg
4627



Walnut Sinfonia
4625



Sable Abbey
LR33




Tages
4631




Sky Club
C007

LAMINATE WORKTOP FINISHES FENIX NTM


COLOURS




Grey London
0718




Black Ingo
0720



White Alaska
0030




Bronzo Doha
2629



Piombo Doha
2630




Titanium Doha
2638




Zinco Doha
2628



Grey Bromine
0724



Cacao Orinoco
0749




White Kos
0032

GROOVE FINISHES


COLOURS




Brill




Brushed
Aluminium



White



Black



Anthracite Grey



Bronze



Champagne



Gold



Gold Rose

PLINTH FINISHES


COLOURS




Brill




Brushed
Aluminium



White



Grey



Anthracite Grey



Bronze



Champagne



Gold Apple



Gold Rose



Walnut



White Decapè



Beige Decapè

For grooves and plinths with colours on request, please contact the technical office for availability and prices.

INDEX MODELS



DIAMOND pag. 16



SMART pag. 18



ASIA pag. 22



DALLAS pag. 24



PROVENZA pag. 26



GINEVRA pag. 28



COSTANZA pag. 30




CHARACTERISTICS

Doors: Melamine or matte lacquered with a thickness of 18 mm - edged on 4 sides with 1 mm thick ABS - E1 class particle board with low formaldehyde content

Door profile
Standard


Also available with the groove version
for detailed information see page xx




Matching handles



M1



M2



M3



M4



T1



White Oak



Powder Oak



Sand Oak




Rock Oak



Bronze Cement



Grey Cement



White Matt



Stelvio Walnut



National Walnut



Light Marble



Light Cement



Lava Cement



White Moon


LACQUERED
MATT



Beige Arizona Lacquered



Blue Lacquered




Castoro Ottawa Lacquered



Grey London Lacquered




Grey Bromo Lacquered




Red Jaipaur Lacquered




Black Lacquered




Green Comodoro Lacquered



Cacao Orinoco Lacquered



White Kos Lacquered



Matt White Lacquered



Grey Efeso Lacquered



Beige Luxor Lacquered



CHARACTERISTICS

Doors: Melamine or lacquered with a thickness of 22 mm - edged on 4 sides with 1 mm thick ABS. E1 class particle board with low formaldehyde content for melamine doors. MDF panel for lacquered doors.


Door profile
groove

22



Door profile
36° - groove

22




Matching handles



M1



M2



M3



M4



T2

MELAMINE FINISHES

colours with logo  are also available in the 36° groove version



Yosemite White 



Yosemite Sand 



Greenwich Park Sherwood 



Richmond Park Sherwood 



James Park Sherwood



Dartmoor Sherwood



Beton Sherwood



Bushy Park Sherwood 



Regents Park Sherwood 



Tyburn Pembroke



Torano



Montilla



Walnut Pores 




Corteccia



Corsini Fronda

MELAMINE FINISHES

colours with logo  are also available in the 36° groove version



Vesuvio
Ares



Glauco
Ares



Lunar
Ares



Capitolium
Ares



Expanse
Ares




Total White
Ares 

MELAMINE FINISHES

colours with logo  are also available in the 36° groove version




Matt White 



Hemp Talc 




Pearl Grey 



Warm Grey


SINGLE-LACQUERED FINISHES 22 MM THICK *




White Gloss



Sahara Gloss




Silk Grey Gloss



Stone Grey Gloss



Anthracite Grey Gloss



White Matt




Sahara Matt



Stone Grey Matt



Anthracite Grey Gloss



Black Matt

* front door gloss or matt lacquered - 4-sided ABS in matching colour - matt melamine back in matching colour



CHARACTERISTICS

Doors gloss lacquered: Thickness 22 mm, gloss lacquered front with polyester back matt lacquered - MDF

Doors matt lacquered: Thickness 22 mm, matt lacquered - MDF

Doors veneered version: Thickness 22 mm, veneered with chipboard

Door profile
Standard


Door profile
version J

Also available with the groove version
for detailed information see page xx

22



22




Matching handles



M1



M2



M3




M4


LACQUERED GLOSS/MATT FINISHES



9016
Bianco Traffico



1013
Pearl White



9001
Cream White



1014
Ivory



6029
Mint Green



6003
Olive Green



1018
Zinc Yellow



2008
Red Orange



3020
Traffic Red



3001
Signal Red



3005
Wine Red



8028
Earth Brown



8022
Black Brown



5024
Pastel Blue



5002
Ultramarine Blue



7035
Light Grey



7037
Dusty Grey



7016
Anthracite Grey



9005
Intense Black



4007
Purple Violet

VENEER FINISHES



Oak
Tobacco Stained



Oak
Natural



Oak
Canaletto Stained



Oak
Wenge Stained



Oak
White lacquered

* It is possible to order other colours by contacting the technical office and requesting availability and any possible price increases.



CHARACTERISTICS

Doors: 24 mm thick - solid ash wood frame with veneered central panel.


Door profile

24



24


Matching handles



M1



M2



M3



M4

FINISHES AVAILABLE



White Ash



Beige Ash



Stone Grey Ash



Agate Grey Ash



Beige Grey Ash



Slate Ash



Purple Red Ash

* It is possible to order other colours by contacting the technical office and requesting availability and any possible price increases.



CHARACTERISTICS

Doors: 24 mm thick with frame and central panel in solid ash wood. Also available in the square door version.

Door profile
Standard

24



Matching handles



C1



C2



C3



C4

FINISHES AVAILABLE



White Decapè



Walnut



Beige Decapè

FINISHES AVAILABLE - SQUARE VERSION



White Decapè



Walnut



Beige Decapè

* It is possible to order other colours by contacting the technical office and requesting availability and any possible price increases.



CHARACTERISTICS

Doors: 24 mm thick with a solid ash frame and veneered central panel.

Door profile
Standard



Matching handles



C1



C2




C3



C4

FINISHES AVAILABLE



White Ash



Beige Ash



Heavenly Ash



Hazelnut Ash



Stone Grey Ash



Agate Grey Ash



Beige Grey Ash



Slate Ash



Purple Red Ash

* It is possible to order other colours by contacting the technical office and requesting availability and any possible price increases.



CHARACTERISTICS

Doors: 24 mm thick with a solid ash frame and veneered central panel.

Door profile
Standard

24



30

Matching handles



C1



C2



C3



C4


FINISHES AVAILABLE



Walnut Ash



Beige Ash



White Ash



Purple Red Ash



Stone Grey Ash



Agate Grey Ash



Beige Grey Ash



Slate Ash

* It is possible to order other colours by contacting the technical office and requesting availability and any possible price increases.

MAINTENANCE AND CLEANING

All products are designed to resist moisture, but it's best to prevent water stagnation, especially near the edges and joints of the worktops. Avoid placing hot objects directly on the surface, and refrain from using knives or sharp objects on it. When using the hob, keep the extractor hood on to prevent vapours from affecting the wall units directly.

It's advisable to avoid using aggressive, abrasive, or silicone products, which can irreparably damage the furniture. It's preferable to immediately remove stains from lemon, vinegar, wine, coffee, or oil to preserve the integrity of the surfaces.

MELAMINE AND LAMINATE ELEMENTS

Clean with a soft cloth and liquid detergent, rinse, and dry thoroughly. Do not use aggressive or abrasive products containing solvents, thinners, or acetone.

VENEERED ELEMENTS

Clean only with a soft cloth dampened with water and dry thoroughly. Do not rub to avoid damaging the gloss of the paint. Do not use aggressive or abrasive products containing solvents, thinners, or acetone.

LACQUERED ELEMENTS

Clean only with a soft cloth dampened with water and dry thoroughly. Do not rub to avoid damaging the gloss of the paint. Do not use aggressive or abrasive products containing solvents, thinners, or acetone. It's possible that during the initial cleaning, the cloth may become slightly coloured due to the presence of paint particles that resurface during the drying process.

STEEL ELEMENTS

Clean with warm water. For tougher stains, use warm vinegar diluted with water. Do not use abrasive products, metal scourers, or products containing chlorine, such as bleach or hydrochloric acid. Always clean in the direction of the grain.

LAMINATE | FENIX NTM ELEMENTS

Clean with a soft cloth and liquid detergent, rinse, and dry thoroughly with a soft cloth. Do not use abrasive or aggressive products containing solvents, thinners, or acetone.